

Pegasystems.PEGAPCRSA80V1_2019.v2020-02-02.q10

試験コード : PEGAPCRSA80V1_2019

試験名称 : Pega Certified Robotics System Architect (PCRSA) 80V1 2019

認証ベンダー : Pegasystems

無料問題の数 : 10

バージョン : v2020-02-02

ページの閲覧量 : 655

問題集の閲覧量 : 2940

https://www.jpnsiken.com/shiken/Pegasystems.PEGAPCRSA80V1_2019.v2020-02-02.q10.html

質問: 1

An automation requires the web adapter to attach to a running instance of Internet Explorer. How do you achieve this requirement?

- A. Configure the web adapter and set the StartMethod property to MonitorAll.
- B. Configure the Universal Web adapter and set the StartMethod property to MonitorAll.
- C. Configure the web adapter and set the StartMehod property to Attach.
- D. The web adapter cannot connect to a running instance.

正解: A ([コメントを发表する](#))

質問: 2

The Automation Playback window allows you to _____.

- A. rerun the last automation that ran with the same values as inputs automatically entered
- B. open a log file and step through it as if you were running your solution in debug mode
- C. open a log file and debug any exceptions
- D. replay your last Runtime session where the applications are provided with the same account numbers automatically

正解: ([正解を表示します](#))

質問: 3

After setting up Start My Day, the end user makes some changes in the Manage Applications window to prioritize and manage the applications configured to launch using the Start My Day functionality.

manage Applications: wrap text

Application	Enabled	Type	Position	Size	Path
▶ ACMESearchSystem	☒	Adapter	855,11	951,587	
CRM	☐	Adapter	15,487	850,475	C:\Program Files (x86)\OpenSpan\CRM Setup\CRM.exe
Notepad++	☒	Adapter	855,487	951,475	C:\Program Files (x86)\Notepad++\notepad++.exe
BankerInsight	☒	Adapter	15,10	839,475	C:\Program Files (x86)\OpenSpan\BankerInsight\BankerInsight.exe

[Add...](#) [Remove](#) [Capture Screen Details](#) [OK](#) [Cancel](#)

Which of the following applications does the user see on the desktop after using the Start My Day functionality?

- A. CRM, Notepad++, BankerInsight
- B. CRM, BankerInsight
- C. ACMESearchSystem, CRM, Notepad++, BankerInsight
- D. ACMESearchSystem, Notepad++, BankerInsight

正解: D ([コメントを发表する](#))

質問: 4

Which step allows you to add a Watch to an automation variable?

- A. Right-click the execution link (yellow execution line) coming from the variable, and select Add Watch.
- B. Right-click the data link (blue propagate line) coming from the variable, and select Add Watch.
- C. Right-click the input/output data port (blue dot) of the variable, and select Add Watch.
- D. Right-click the incoming/outgoing execution port (yellow dot) of the variable, and select Add Watch.

正解: ([正解を表示します](#))

質問: 5

Pega Robot Studio provides five rules on how to differentiate between cloneable application objects when using key assignments in automations. The first rule states that an event creates the instance to set the context of a cloneable object. The remaining four rules state the requirements for a key assignment.

In the Answer Area, determine if each rule description requires a key assignment.

Answer Area

<u>Rule Description</u>	<u>Key Assignment Required?</u>
An event from Child Context to Parent Context	Requires a key assignment Does not require a key assignment
An event from Parent Context to Child Context	Requires a key assignment Does not require a key assignment
Logic within the same context	Requires a key assignment Does not require a key assignment
An event from No Context to a Context	Requires a key assignment Does not require a key assignment

正解:

Answer Area	
Rule Description	Key Assignment Required?
An event from Child Context to Parent Context	Requires a key assignment Does not require a key assignment
An event from Parent Context to Child Context	Requires a key assignment Does not require a key assignment
Logic within the same context	Requires a key assignment Does not require a key assignment
An event from No Context to a Context	Requires a key assignment Does not require a key assignment

Answer Area	
Rule Description	Key Assignment Required?
An event from Child Context to Parent Context	Requires a key assignment Requires a key assignment Does not require a key assignment
An event from Parent Context to Child Context	Does not require a key assignment Requires a key assignment Does not require a key assignment
Logic within the same context	Requires a key assignment Requires a key assignment Does not require a key assignment
An event from No Context to a Context	Does not require a key assignment Requires a key assignment Does not require a key assignment

質問: 6

You are debugging a script component for your project. When the automation executes your script, the intended result does not occur. You suspect that one or more variables within your script are not being set to the proper value. Your version of Pega Robot Studio does not support the use of breakpoints within the script designer.

In what two ways can you debug the script? (Choose two.)

- A.** Modify the script so that the variable values are returned in the automation.
- B.** Check with the Support team to upgrade Robotic Automation Studio to the version which contains script debugging.
- C.** Add a breakpoint before calling the script so that you can assign a watch for the variable(s) used within the script.
- D.** Enable Runtime logging and enter a diagnostic message to log the variable values during script execution.

正解: ([正解を表示します](#))

質問: 7

Your log on automation is failing and you cannot proceed because the Submit button is not enabled. After searching the HTML code, you discover that the Submit button is enabled only after the Password field experiences a key press.

How do you resolve the automation issue?

- A.** On the Password field, add an Enabled property and set it to True.
- B.** On the Password field, add a RaiseEvent method with onkeypress.
- C.** On the Submit button, add a Disabled property and set it to True.
- D.** On the Submit button, add a RaiseEvent method with onkeypress.

正解: ([正解を表示します](#))

質問: 8

During project testing, an issue requires you to add a diagnostic log component to track the log files to help determine a resolution. After testing, you decide not to remove the diagnostic log component from the automation and decide to simply turn off the log component.

Which diagnostic log component setting allows you to turn the logging component off temporarily?

- A.** Setting the Category to Off
- B.** Setting the Mode to Off
- C.** Setting Type to Off

正解: ([正解を表示します](#))

Explanation

Reference



http://help.openspan.com/80/Platform_Configuration/RuntimeConfigXML.htm


質問: 9

The business requirements states that the login automation creates a Success or Failed response when attempting to log in to the finance application. If a failure occurs, the automation should pass a message code with the Message Manifest before exiting the automation.

Which image represents the exit logic?

A





- A. Exhibit A
- B. Exhibit C
- C. Exhibit B
- D. Exhibit D

正解: ([正解を表示します](#))

質問: 10

Lines in the RuntimeLog containing the text "ExecutionLink From:" refer specifically to what item from your solution?

- A. Automation entry points

- B. Blue data lines
- C. Yellow execution lines
- D. Automation execution threads

正解: ([正解を表示します](#))

有効的なPEGAPCRSA80V1_2019問題集はJPNTTest.com提供され、PEGAPCRSA80V1_2019試験に合格することに役に立ちます！JPNTTest.comは今最新PEGAPCRSA80V1_2019試験問題集を提供します。JPNTTest.com PEGAPCRSA80V1_2019試験問題集はもう更新されました。ここでPEGAPCRSA80V1_2019問題集のテストエンジンを手に入れます。最新版のアクセス、https://www.jpntest.com/shiken/PEGAPCRSA80V1_2019-mondaishu 62問、30%ディスカウント、特別な割引コード: **JPNshiken**」